



US007657839B2

(12) **United States Patent**  
**Moody et al.**

(10) **Patent No.:** **US 7,657,839 B2**  
(45) **Date of Patent:** **\*Feb. 2, 2010**

(54) **SYSTEM FOR REPLYING TO RELATED MESSAGES**

5,107,419 A 4/1992 MacPhail ..... 395/600  
5,140,521 A 8/1992 Kozoll et al.  
5,632,018 A 5/1997 Otorii  
5,893,070 A 4/1999 Garber et al. .... 705/2

(75) Inventors: **Paul B. Moody**, Hyde Park, VT (US);  
**Daniel M Gruen**, Newton, MA (US);  
**Steven L. Rohall**, Winchester, MA (US);  
**Bernard J. Kerr**, Boston, MA (US)

(Continued)

(73) Assignee: **International Business Machines Corporation**, Armonk, NY (US)

**OTHER PUBLICATIONS**

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

Venolia, Gina, et al., "Understanding Sequence and Reply Relationships within Email Conversations: A Mixed-Model Visualization", *Paper: Integrating Tools and Tasks*, vol. No. 5, Issue No. 1, Proceedings of the Conference on Human Factors in Computer Systems, Ft. Lauderdale, FL, Apr. 5-10, 2003, pp. 361-368.

(Continued)

This patent is subject to a terminal disclaimer.

*Primary Examiner*—Weilun Lo  
*Assistant Examiner*—Kim-Lynn Dam  
(74) *Attorney, Agent, or Firm*—Pillsbury Winthrop Shaw Pittman LLP

(21) Appl. No.: **12/166,487**

(22) Filed: **Jul. 2, 2008**

(57) **ABSTRACT**

(65) **Prior Publication Data**

US 2008/0295001 A1 Nov. 27, 2008

A system is provided which utilizes a threading service to offer enhanced features for a document management system including an email system. Various enhanced email features may be provided through one or more of the following components: a delete module, a reply module, a profile module, and a search module. The delete module enables a user to delete a selected message, a set of related messages, or the whole set except for the selected message. The reply module enables a user to send a reply message to all addresses associated and involved with an entire set of related messages. The profile module enables a dynamic interest profile to contain all relevant information from an outgoing message and a set of messages related to the outgoing message. The search module enables search results to include documents which match the user's query as well as documents related to the documents which match the user's query.

**Related U.S. Application Data**

(63) Continuation of application No. 10/745,495, filed on Dec. 29, 2003, now Pat. No. 7,409,641.

(51) **Int. Cl.**  
**G06F 3/00** (2006.01)

(52) **U.S. Cl.** ..... **715/752; 709/206**

(58) **Field of Classification Search** ..... **715/752; 709/206**


See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,079,700 A 1/1992 Kozoll et al.

**18 Claims, 6 Drawing Sheets**



U.S. PATENT DOCUMENTS

5,905,863 A 5/1999 Knowles et al.  
 5,928,333 A 7/1999 Landfield et al.  
 5,930,471 A 7/1999 Milewski et al.  
 6,134,582 A 10/2000 Kennedy  
 6,185,551 B1 2/2001 Birrell et al.  
 6,282,565 B1 8/2001 Shaw et al.  
 6,330,589 B1 12/2001 Kennedy  
 6,381,594 B1 4/2002 Eichstaedt et al.  
 6,421,669 B1 7/2002 Gilmour et al. .... 707/9  
 6,457,004 B1 9/2002 Nishioka et al.  
 6,483,905 B1 11/2002 Kikinis  
 6,496,853 B1 12/2000 Klein  
 6,519,571 B1 2/2003 Guheen et al.  
 6,592,627 B1 7/2003 Agrawal et al.  
 6,615,241 B1 9/2003 Miller et al.  
 6,631,398 B1 10/2003 Klein  
 6,704,772 B1 3/2004 Ahmed et al.  
 6,769,012 B1 7/2004 Liu et al.  
 6,775,243 B1 8/2004 Valentine et al.  
 6,822,754 B1 11/2004 Shiohara  
 6,823,368 B1 11/2004 Ullmann et al.  
 6,832,224 B2 12/2004 Gilmour ..... 707/100  
 6,963,904 B2 11/2005 Yong  
 6,973,167 B2 12/2005 Kikinis  
 6,993,563 B2 1/2006 Lytle et al.  
 7,035,903 B1 4/2006 Baldonado  
 7,039,671 B2 5/2006 Cullen ..... 709/201  
 7,043,698 B2 5/2006 Newbold ..... 715/789  
 7,093,229 B2 8/2006 Pang et al. .... 716/21  
 7,120,865 B1 10/2006 Horvitz et al. .... 715/514  
 7,246,121 B2 7/2007 Adar et al. .... 707/9  
 7,389,292 B2 6/2008 Prakash ..... 707/8  
 2001/0030960 A1 10/2001 Nakada et al.

2002/0023136 A1 2/2002 Silver et al.  
 2002/0026487 A1 2/2002 Ogilvie et al. .... 709/206  
 2002/0035607 A1 3/2002 Checkoway et al.  
 2002/0065891 A1 5/2002 Malik  
 2002/0169839 A1 11/2002 Goldberg  
 2002/0169840 A1 11/2002 Sheldon et al. .... 709/206  
 2002/0188689 A1 12/2002 Michael  
 2003/0020749 A1 1/2003 Abu-Hakima et al. .... 345/752  
 2003/0105827 A1 6/2003 Tan et al. .... 709/206  
 2003/0120737 A1 6/2003 Lytle et al.  
 2003/0135567 A1 7/2003 Reilly  
 2003/0163537 A1 8/2003 Rohall et al.  
 2003/0233419 A1 12/2003 Beringer  
 2003/0236797 A1 12/2003 Nita ..... 707/200  
 2004/0060425 A1 4/2004 Puryear ..... 84/626  
 2004/0119740 A1\* 6/2004 Chang et al. .... 345/751  
 2004/0176072 A1 9/2004 Gellens ..... 455/412.1  
 2005/0138552 A1 6/2005 Venolia ..... 715/526

OTHER PUBLICATIONS

Bergman, Ruth, et al., "A Personal Email Assistant", Software Technology Laboratory, HP Laboratories, Palo Alto, Aug. 22, 2002, 23 pages.  
 Bellotti, Victoria, et al., "Taking Email to Task: The Design and Evaluation of a Task Management Centered Email Tool", Proceedings of the Conference on Human Factors in Computer Systems, Ft. Lauderdale, Florida, Apr. 5-10, 2003, pp. 345-352.  
 Whittaker, Steve, et al., "Email Overload: Exploring Personal Information Management of Email", CHI 96, Apr. 13-18, 1996, pp. 276-283.  
 Venolia, Gina Danielle, et al., "Supporting Email Workflow", *Technical Report MSR-TR-2001-88*, Microsoft Research, Microsoft Corporation, Revised Dec. 2001 (Original Sept. 2001), 11 pages.

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4







FIG. 5



150  
Profile Module



654



**FIG. 6**



## SYSTEM FOR REPLYING TO RELATED MESSAGES

This application is a continuation of U.S. patent application Ser. No. 10/745,495, filed Dec. 29, 2003, which is incorporated herein by reference in its entirety.

### CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 10/745,495, filed Dec. 29, 2003 and is related to the commonly owned co-pending U.S. Patent applications entitled "System and Method for Deleting Related Messages," U.S. patent application Ser. No. 10/745,488, filed Dec. 29, 2003; "System and Method for Building Interest Profiles from Related Messages," U.S. patent application Ser. No. 10/745,589, filed Dec. 29, 2003; and "System and Method for Searching and Retrieving Related Messages," U.S. patent application Ser. No. 10/745,588, filed Dec. 29, 2003; each filed herewith and incorporated by reference in its entirety.

### FIELD OF THE INVENTION

The invention relates to an email system that utilizes a threading service.

### BACKGROUND OF THE INVENTION

Conventional email systems include a "Reply to All" command. As is well known, this command addresses a new email message to all the recipients of some particular email message. However, among a set of related messages, some changes may have been made to the list of recipients. For example, a person may have been added to the list or inadvertently deleted from the list. This may cause one or more of the messages to include only a subset of the list of recipients that are associated with and/or involved in an entire set of related messages. Because the conventional "Reply to All" command only utilizes the addresses of the recipients in the particular message, the new message may not be addressed to all the recipients germane to the set of related messages.

What is needed is a mechanism that enables a user to create a reply message that may be sent to all addresses associated with and involved in an set of related messages.

### SUMMARY OF THE INVENTION

The invention solving these and other problems provides a "Reply to All in Thread" command that generates a list of addresses of recipients included in a set of messages related to a selected message and uses this list of addresses to address a new message.

According to various embodiments of the invention, a reply module allows a user to reply to a selected message in a variety of ways, including "Reply to Sender Only," "Reply to All Recipients," or "Reply to All in Thread." In some embodiments of the invention, the reply module may utilize a threading service. This threading service may reside locally at a user terminal or remotely on a server.

According to various embodiments of the invention, to access aspects of the invention, a user selects an email message. Once the user selects the email message, the user may perform an action or operation that provides the user with one or more reply commands. For example, the user may select a

generic reply command from a menu of the email system. Other mechanisms are available as would be apparent.

After the reply module receives the list of related messages, the reply module may display one or more reply commands that may provide various reply options. These reply options may include one or more of "Reply to Sender Only," "Reply to All Recipients," or "Reply to All in Thread" or other reply options. The user may select one of the commands corresponding to the user's desired result. If the user wishes to reply to only the sender, the user selects "Reply to Sender Only." If the user wishes to reply to all recipients, the user selects "Reply to All Recipients." If the user wishes to reply to any and all recipients in the entire thread, the user selects "Reply to All in Thread."

Once the user has selected a reply command, the reply module generates a reply message to the selected message. If the selected reply command is "Reply to All in Thread," the reply module requests a list of messages related to the selected message from the threading service. This list of related messages includes the selected message and all messages in the same "thread," or all messages determined by the threading service to be related to the selected message. The reply module processes the list of related messages to collect one or more unique names or addresses from the address fields included therein. The collected names or addresses are then inserted into an address field of the new reply message. In some embodiments, the user may insert additional names or addresses into the address fields of the new reply message.

Other objects and features of the invention will become apparent from the following detailed description considered in connection with the accompanying drawings. The drawings are designed for purposes of illustration only and the invention is not limited to the particulars shown therein. Various alternatives and modifications within the scope of the invention will be apparent from the description contained herein.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates an email system that utilizes a threading service according to various embodiments of the invention.

FIG. 2 illustrates a user interface for an email system according to various embodiments of the invention.

FIG. 3 illustrates various delete options provided by a delete module of an email system according to one embodiment of the present invention.

FIG. 4 illustrates various reply options provided by a reply module of an email system according to one embodiment of the present invention.

FIG. 5 illustrates various search options provided by a search module of an email system according to one embodiment of the present invention.

FIG. 6 illustrates a profile module of an email system according to one embodiment of the present invention.

### DETAILED DESCRIPTION OF THE INVENTION

Various embodiments of the invention are described below in terms of email systems that include one or more email messages. However, it will become apparent from reading the following description how various aspects of the invention may be used with other types of systems that include one or more items, such as, for example, file systems.

FIG. 1 illustrates a system 100 according to one embodiment of the invention. System 100 includes an email system 120 on a user terminal 102 and a threading service 110 operating on or hosted by a server 108. According to various

aspects of the invention, threading service **110** provides enhanced features for email system **120**. These enhanced features for email system **120** may be achieved through various components operating on or in conjunction with email system **120**. These components include one or more of the following: a delete module **130**, a reply module **140**, a profile module **150**, and a search module **160**.

As illustrated in FIG. 1, threading service **110** may be utilized on server **108**. It should be understood that threading service **110** may be located on user terminal **102** or any machine or machines associated with user terminal **102**. While illustrated as separate from email system **120**, it should also be understood that threading system **110** may be an integral part of email system **120** as would be appreciated.

As illustrated in FIG. 1, threading service **110** may be operatively coupled to server **108**. Threading service **110** may include a database to store any type of data or information. Threading service **110** may include, or interface to, for example, the Oracle™ relational database sold commercially by Oracle Corporation, Informix™, DB2 (Database 2) or other data storage or query formats, platforms, or resources such as OLAP (On Line Analytical Processing), SQL (Standard Language Query), a SAN (storage area network), Microsoft Access™ or any other type of database.

Server **108** may be or include, for instance, a workstation running Microsoft Windows™ NT™, Microsoft Windows™ 2000, Microsoft Windows™ XP, Unix, Linux, Xenix, IBM, AIX™, Hewlett-Packard UX™, Novell Netware™, Sun Microsystems Solaris™, OS/2™, BeOS™, Mach, Apache, OpenStep™, or other operating system or platform.

In some embodiments of the invention, threading service **110** tracks relationships between various items including messages, documents, and/or other items. Various threading services may be used such as those described in U.S. patent application Ser. No. 10/334,087 (Publication No. U.S. 20030163537A1), entitled "Method and Apparatus for Handling Conversation Threads and Message Groupings as a Single Entity," filed Dec. 30, 2002, and U.S. patent application Ser. No. 09/995,151 (Publication No. US20030101065A1), entitled "Method and Apparatus for Maintaining Conversation Threads in Electronic Mail," filed Nov. 27, 2001, the specifications of which are herein incorporated by reference in their entirety. It should be noted that the invention is not limited to any particular mechanism for determining threads among a set of documents including email messages. Other threading services may also be used as would be apparent.

User terminal **102** may be operatively coupled over a network **106** via a communications link **104**. Examples of user terminal **102** may include any one or more of, for example, a desktop computer, a laptop or other portable computer, a hand-held computer device such as a Blackberry, a Personal Digital Assistant (PDA), a web-enabled mobile phone, or a Palm Pilot, or any other computer device.

Network **106** may include any one or more networks. For example, network **106** may include the Internet, an intranet, a PAN (Personal Area Network), a LAN (Local Area Network), a WAN (Wide Area Network), a SAN (Storage Area Network), a MAN (Metropolitan Area Network), or other network.

Communications link **104** may include any one or more communications links. For example, communications link **104** may include a copper telephone line, a Digital Subscriber Line (DSL) connection, a Digital Data Service (DDS) connection, an Ethernet connection, an Integrated Services Digi-

tal Network (ISDN) line, an analog modem connection, a cable modem connection, a wireless connection, or other communications link.

FIG. 2 illustrates an exemplary user interface **200** for email system **120** according to various embodiments of the invention. User interface **200** may include a toolbar **222** from which a user may manage one or more email messages in email system **120**. Toolbar **222** may include various items related to email features including any one or more of New Message **222a**, Reply **222b**, Delete **222c**, Forward **222d**, Send/Receive **222e**, Search **222f**. Toolbar **222** may include other items corresponding to other email feature as would be apparent.

Items included in toolbar **222** allow a user to access various aspects of the invention. For example, selecting Reply **222b** invokes access to reply module **140**, selecting Delete **222c** invokes access to delete module **130**, and selecting Search **222f** invokes accesses to search module **160**.

Further, user interface **200** may also include a list of messages **224** for presentation and display to the user. For example, list of message **224** may include new and saved email messages for the user. In some embodiments of the invention, each message of message set **224** includes a selection box **226** as illustrated Selection box **226** allows a user to select one or more messages and subsequently direct a performance of an action on that message, such as, for example reply, forward, or delete or other action. Although messages are described as being selected via selection box **226** in user interface **200**, messages may be selected in various other ways, such as highlighting a message, clicking on a message, or any other mechanism for selecting messages as would be apparent.

FIG. 3 illustrates various delete options that may be incorporated into user interface **200** and provided or otherwise controlled by delete module **130** according to one or more embodiments of the invention. Delete module **130** allows a user to delete a selected message and/or related messages in a variety of ways, including "Delete Selected Message Only" **332**, "Delete All in Thread" **334**, or "Delete All in Thread Except Selected Message" **336**. Depending on which delete option is selected, delete module **130** may access threading service **110**.

To utilize delete module **130** of the invention, a user selects one or more messages from list of messages **224** presented in user interface **200**. As discussed above, the user may accomplish this using selection box **226** or some other selecting mechanism. In some embodiments, the selected message may be a message that the user wishes to delete. In some embodiments, the selected message may be a message that the user wishes to keep, but the user may wish to delete any or all related messages except the selected message. In some embodiments, the user may wish to delete the selected message and all related messages.

After selecting a message, the user may select "Delete" **222c** from toolbar **222** of email system **120**. Selecting "Delete" **222c** accesses or otherwise invokes delete module **130**. Subsequently, delete module **130** may request a list of messages related to the selected message from threading service **110**. The list of related messages includes the selected message and all messages in the same "thread," or all messages determined by threading service **110** to be related to the selected message. The list of related messages may be stored in a temporary memory buffer (not shown) of email system **120** and accessed by delete module **130**.

In some embodiments, after delete module **130** retrieves the list of related messages, delete module **130** may display various delete commands that provide the user with various

delete options. These delete options may include “Delete Selected Message Only” **332**, “Delete All in Thread” **334**, or “Delete all in Thread Except Selected Message” **336**. The user may then select one of these in accordance with the action the user wishes to take. In some embodiments of the invention, if the user wishes to delete only the selected message, the user selects “Delete Selected Message Only” **332**. In some embodiments of the invention, if the user wishes to keep the selected message, but to delete all related messages, the user selects “Delete All in Thread Except the Selected Message” **336**. In some embodiments of the invention, if the user wishes to delete the selected message and all related messages, the user selects “Delete All in Thread.”

After the user has selected a delete command, delete module **130** causes the appropriate messages to be deleted. If the selected delete command was “Delete All in Thread Except the Selected Message” **336**, each of the messages in the list of related message is compared with the originally selected message. Those that do not match are deleted, leaving the originally selected message. In some embodiments of the invention, delete module **130** may simply mark the messages for deletion for the benefit of another service (not otherwise illustrated) that actually deletes the messages as would be apparent. In some embodiments of the invention, actual deletion may occur at contemporaneously, at a time specified by email system **120**, at a time specified by the user, or at a time determined by the deletion service.

If the selected delete command was “Delete All in Thread” **334**, each of the messages in the list of related messages, including the selected message is be deleted. As discussed above, delete module **130** may simply mark the messages for deletion for the benefit of another service.

If the selected delete command was “Delete Selected Message Only” **332**, the originally selected message is deleted. Again, as discussed above, delete module **130** may simply mark the selected message for deletion.

FIG. 4 illustrates reply options that may be incorporated into user interface **200** and provided or otherwise controlled by reply module **140** according to one or more embodiments of the invention. Reply module **140** allows a user to reply to a selected message in a variety of ways, including “Reply to Sender Only” **442**, “Reply to All Recipients” **444**, or “Reply to All in Thread” **446**. Depending on which reply option is selected, reply module **140** may access threading service **110**.

To utilize reply module **140** of the invention, a user selects one or more messages from list of messages **224** presented in user interface **200**. As discussed above, the user may accomplish this using selection box **226** or some other selecting mechanism. In some embodiments of the invention, the user may wish to reply to only the sender of the selected message. In some embodiments of the invention, the user may wish to reply to all the recipients of the selected message. In some embodiments of the invention, the user may wish to reply to all the recipients who received the selected message or any message related to the selected message.

After selecting a message, the user may select “Reply” **222b** from toolbar **222** of email system **120**. Selecting “Reply” **222b** accesses or otherwise invokes reply module **140**. Subsequently, reply module **140** may display various reply commands that provide the user with various reply options. These reply options may include “Reply to Sender Only” **442**, “Reply to All Recipients” **444**, or “Reply to All in Thread” **446**. The user may then select one of these in accordance with the action the user wishes to take. In some embodiments of the invention, if the user wishes to send a reply only to the sender of the selected message, the user selects “Reply to Sender Only” **442**. In some embodiments of the invention,

if the user wishes to send a reply to all recipients of the selected message, the user selects “Reply to All Recipients” **444**. In some embodiments of the invention, if the user wishes to send a reply to all the recipients of the selected message or any message related to the selected message, the user selects “Reply to All in Thread” **446**.

After the user has selected a reply command, reply module **140** causes the appropriate reply message to be generated. If the selected reply command was “Reply to Sender Only” **442**, reply module **140** simply inserts an address of the sender of the selected message into a reply message. In some embodiments of the invention, reply module **140** retrieves an email address from the “From” field of the selected message and inserts it into the “To” field of the reply message as would be apparent.

If the selected reply command was “Reply to All Recipients” **444**, reply module **140** inserts an address of the sender and all recipients of the selected message into a reply message. In some embodiments of the invention, reply module **140** retrieves email addresses from the “From,” “To,” “CC,” and/or “BCC” fields of the selected message and inserts them into a corresponding field in the reply message as would be apparent.

If the selected reply command was “Reply to All in Thread” **446**, reply module **140** inserts an address of the sender, all recipients of the selected message, and all recipients of messages related to the selected message into a reply message. In some embodiments of the invention, reply module **140** retrieves email addresses from a list of messages related to the selected message. In some embodiments of the invention, this may be accomplished using header information associated with each of the messages in the list of related messages to collect unique names or addresses from the address fields therein. These names or addresses may then be inserted into corresponding fields in the reply message.

In some embodiments of the invention, in order to “Reply to All in Thread,” reply module **140** may request a list of messages related to the selected message from threading service **110**. The list of related messages includes the selected message and all messages in the same “thread,” or those messages determined by threading service **110** to be related to the selected message. The list of related messages may be stored in a temporary memory buffer (not otherwise illustrated) of email system **120**. Reply module **140** may access the temporary memory buffer and retrieve the list of related messages.

In some embodiments of the invention, reply module **140** may gather header information for each message in the list of related messages. The header information gathered by reply module **140** may include a variety of data fields that are used for addressing, including, but not limited to: “From,” “To,” “CC,” “BCC,” “Sent on behalf of” “Reply to,” or any other address data field.

In some embodiments of the invention, reply module **140** may collect the names or addresses from the address fields of the header data from each related message, and adds only those unique names or addresses to a stored list. The stored list of gathered header information may be stored in the temporary memory buffer (not otherwise illustrated). In some embodiments of the invention, the stored list may include information regarding the field from which the names or addresses originated. For example, “Joe Smith” may have been in the “From” field in one message and in the “To” field of a second message.

After the stored list of names or addresses has been compiled, reply module **140** may create a reply message that is related to the originally selected message. In some embodi-

ments of the invention, reply module **140** may insert the names or addresses from the stored list of names or addresses into fields of the reply message corresponding to the fields from which the names or addresses originated (i.e., originating fields). In some embodiments of the invention, the corresponding field is determined by a rule set that specifies which originating fields cause names to be inserted into which address fields of the reply message with priority information should the name or address originate in more than one type of field.

In some embodiments of the invention, the user may also insert additional names or addresses into the address fields of the reply message as would be apparent.

FIG. **5** illustrates various search options that may be incorporated into user interface **200** and provided or otherwise controlled by search module **160** according to one or more embodiments of the invention. Search module **160** allows a user to search a list of messages **224** and/or related message in a variety of ways, including “Search Only for Messages that Include Search Terms” **566** or “Search for Messages that Include Search Terms and All Related Messages” **568**. Depending on which search option is selected, search module **160** may access threading service **110**.

To utilize search module **160** of the invention, a user selects menu item “Search” **222f** from toolbar **222** of email system **120**. Selecting menu item “Search” **222f** accesses or otherwise invokes search module **160**. Subsequently, search module **160** may display a query box **562** in which a user may enter one or more search terms **564**. The user may then enter search terms **564** comprising of a variety of text that is to be sought in list of message **224** as would be apparent.

After the user enters search terms **564** into query box **562**, the user may select from one or more search options provided by search module **160**. These search options may include “Search Only for Messages that Include Search Terms” **566** or “Search for Messages that Include Search Terms and All Related Messages” **568**. The user may select one of these in accordance with the action the user wishes to take. In some embodiments of the invention, if the user wishes to retrieve only those messages that include search terms **564**, the user may select “Search Only for Messages that Include Search Terms” **566**. In some embodiments of the invention, if the user wishes to retrieve those messages that include search terms **564** and all messages that are related thereto, the user may select “Search for Messages Containing Search Terms and All Related Messages” **568**.

After the user has selected a search command, search module **160** causes the appropriate search results to be generated. If the selected search command is “Search Only for Messages that Include Search Terms” **566**, search module **160** searches message set **224** for messages that include search terms **564** as would be apparent and provides those message as search results.

If the selected search command is “Search for Messages that Include Search Terms and All Related Messages” **568**, search module **160** searches message set **224** for messages including search terms **564**. Then, for each message that includes search terms **564**, search module **160** also determines and/or retrieves messages related thereto, whether or not the related messages include search terms **564**. Search module **160** searches each message of message set **224** for entered search terms **564**. In some embodiments of the invention, if the search terms are found including a particular message, search module **160** determines whether the particular message belongs to a thread. If so, search module **160** requests a list of messages related to the particular message from, for example, threading service **110**. This list of related

messages may include the matching message and all messages in the same “thread,” or those messages determined by threading service **110** to be related to the particular message. The list of related messages may be stored in a memory buffer (not shown) of email system **120**. Search module **160** may access and retrieve the list of related messages from the particular memory buffer. Search module **160** provides search results that include the message that included the search terms **564** and the list of messages related thereto.

In some embodiments of the invention, after the search results are compiled, search module **160** may display the search results in various ways. Search module **160** may display the search results in order of relevance, date or any other mechanism. In some embodiments, the search results may include an indication so that the user may recognize that a particular message includes search terms **564**, while another message is related to a message that includes search terms.

In some embodiments of the invention, the search results may be displayed such that only a set of related messages or thread of a message, where at least one message there includes the search terms **564**. In some embodiments of the invention, the user may expand/collapse the initial message to view the entire list of related messages.

In some embodiments of the invention, the search results that are displayed may include these messages that include search terms **564**. The displayed results may include an indication of whether the message is related to other messages. In some embodiments, the user may expand/collapse the message to view the list of related messages.

FIG. **6** illustrates profile module **150** according to the various embodiments of the invention. In some embodiments, profile module **150** may use threading service **110** to expand topics and names used to create a dynamic interest profile **652**. Dynamic interest profile **652** may be generated and updated on the email system **120** of user terminal **102**.

In some embodiments of the invention, profile module **150** automatically constructs dynamic interest profile **652** in order to sort, cluster, and otherwise call attention to messages that may be of interest to a user. Dynamic interest profile **652** may include items **654** of user interest including topics **654a**, names **654b**, documents, **654c**, document repositories **654d**, or other items of user interest.

In some embodiments of the invention, profile module **150** may monitor all outgoing messages that a user sends from email system **120**. Outgoing messages and messages related thereto may be used to construct items **654** of dynamic interest profile **652**, as described further below.

For each outgoing message, profile module **150** identifies whether the outgoing message related to other messages, by, for example, being related to a thread. If so, profile module **150** requests a list of messages related to the outgoing message from threading service **110**. The list of related messages includes the outgoing message and all messages in the same “thread,” or all those messages determined by threading service **110** to be related to the outgoing message. The list of related messages may be stored in a memory buffer (not shown) of email system **120**. Profile module **150** may access and retrieve messages from the memory buffer.

Profile module **150** scans the outgoing message and its related messages for terms to add to dynamic interest profile **652**. The related messages may be incoming or outgoing messages. In some embodiments of the invention, the profile module **150** may include an algorithm for weighting the terms added to dynamic interest profile **652**, such that, for example, the most relevant or frequently occurring terms appear first in dynamic interest profile **652**. In some embodiments of the

invention, incoming and outgoing messages may be weighted differently according to the algorithm.

While particular embodiments of the invention have been described, it is to be understood that modifications will be apparent to those skilled in the art without departing from the spirit of the invention. The scope of the invention is not limited to the specific embodiments described herein. Other embodiments, uses and advantages of the invention will be apparent to those skilled in art from consideration of the specification and practice of the invention disclosed herein. The specification should be considered exemplary only, and the scope of the invention is accordingly intended to be limited by the following claims.

The invention claimed is:

1. A system for replying to messages comprising:  
a display device that displays a graphical user interface that presents a list of messages and one or more reply options to a user, that permits the user to select a message and that permits the user to select one of the one or more reply options through the graphical user interface, wherein the graphical user interface includes one or more views; and

a computer-readable medium that includes a reply module, the reply module including computer-readable instructions operable to be executed on a processor, that determines, in response to the selected one or more reply options, one or more related messages that are related to the selected message, automatically populates one or more address fields of a reply message with a message address of a sender of the selected message and a message address of a recipient of the one or more related messages, wherein the recipient of the one or more related messages is neither a sender of the selected message nor a recipient of the selected message; and stores the message address of the sender of the selected message and the message address of the recipient of the one or more related messages, along with information regarding the field of the message from which each address originated.

2. The system of claim 1, wherein the reply module further automatically populates one or more address fields of the reply message with a message address of a recipient of the selected message.

3. The system of claim 1, wherein the one or more reply options include an option to reply to the sender of the selected message.

4. The system of claim 1, wherein the one or more reply options include an option to reply to the sender and the recipients of the selected message.

5. The system of claim 1, wherein the selected one or more reply options comprises an option to reply to the sender and one or more recipients of one or more related messages related to the selected first message.

6. The system of claim 5, wherein the selected one or more reply options comprises an option to reply to all recipients in a thread of related messages.

7. The system of claim 1, wherein the reply module inserts the message address of the sender of the selected message and the message address of the recipient of the one or more related messages into fields of the reply message corresponding to the fields from the message from which the addresses originated.

8. The system of claim 1, wherein automatically populating the reply message comprises automatically inserting the name of the sender of the selected message, the name of the at least one recipient of the selected message, and a name of at

least one second recipient into fields of the reply message corresponding to the fields from which the names originated.

9. The system of claim 8, wherein the corresponding fields of the reply message are determined by a rule set that specifies which originating fields cause names to be inserted into which address fields of the reply message with priority information should the same name originate in more than one type of field.

10. A computer-readable storage medium having computer-readable instructions that when executed by a processor, are operable to enable a user to reply to a selected message in an email system, the instructions comprising:

a graphical user interface module configured to present on a display device a list of messages and one or more reply options, and receive input from the user to select a message and one of the one or more reply options; and

a reply module configured to:

(i) determine one or more related messages that are related to the user-selected message;

(ii) populate one or more address fields of a reply message with a message address of a sender of the selected message and a message address of a recipient of the one or more related messages, wherein the recipient of the one or more related messages is neither a sender of the selected message nor a recipient of the selected message; and

(iii) store the message address of the sender of the selected message and the message address of the recipient of the one or more related messages, along with information regarding the field of the message from which each address originated.

11. The medium of claim 10, wherein the reply module further automatically populates one or more address fields of the reply message with a message address of a recipient of the selected message.

12. The medium of claim 10, wherein the one or more reply options include an option to reply to the sender of the selected message.

13. The medium of claim 10, wherein the one or more reply options include an option to reply to the sender and the recipients of the selected message.

14. The medium of claim 10, wherein the selected one or more reply options comprises an option to reply to the sender and one or more recipients of one or more related messages related to the selected first message.

15. The medium of claim 14, wherein the selected one or more reply options comprises an option to reply to all recipients in a thread of related messages.

16. The medium of claim 10, wherein the reply module inserts the message address of the sender of the selected message and the message address of the recipient of the one or more related messages into fields of the reply message corresponding to the fields from the message from which the addresses originated.

17. The medium of claim 10, wherein populating the reply message comprises automatically inserting the name of the sender of the selected message, the name of the at least one recipient of the selected message, and a name of at least one second recipient into fields of the reply message corresponding to the fields from which the names originated.

18. The medium of claim 17, wherein the corresponding fields of the reply message are determined by a rule set that specifies which originating fields cause names to be inserted into which address fields of the reply message with priority information should the same name originate in more than one type of field.